



PLAN




ELEVATION 'D'



SECTION 'A'

NOTE CORNER CONDITION:
CAP(S) MITER CUT
BASE CHANNEL SQUARE CUT



SECTION 'B'

STANDARD ATTACHMENTS: _____

ALUMINUM:

#12 x 1" TEK SCREW W/ #3 TIP & NEOPRENE WASHER

STEEL:


#12 x 2" TEK SCREW W/ #5 TIP & NEOPRENE WASHER

WOOD:

1/4" x 2" LAG SCREW W/ NEOPRENE WASHER

NOTE:

ATTACHMENT METHODS & SPACING BASED ON
STANDARD 90 MPH WIND LOAD CONDITIONS.
CONTACT DUO-GARD TO DISCUSS ALTERNATE
LOAD CONDITIONS.



SECTION 'C'



Duo-Gard Industries, Inc.
Tel (734) 207-9700 Fax (734) 207-7995
www.duo-gard.com

THIS DRAWING IS PROPRIETARY AND FOR THE SOLE USE OF OUR
CUSTOMER AND MAY NOT BE COPIED OR REPRODUCED WITHOUT
PRIOR WRITTEN CONSENT FROM DUO-GARD INDUSTRIES, INC.
LEAD TIME BEGINS UPON RECEIPT OF SIGNED SHOP DRAWINGS

DESCRIPTION

SERIES 3100 BPC-LP

SYSTEM 3116-3W

DWN BY	DRW'G DATE	SCALE	PAGE	OF	DRWNG #
JL	11/10/16	NTS	1	1	3116-3W G-16-3W SLOPED